

Product Name	Confidential Level
Network PTZ Camera	
Release Version	Total 5 Pages
V2.600.0000.0.R.20170601	

# **PTZ Baseline**

## **Release Notes**

### **V1.0**



**Revision Records**

No	Change Description	Author	Revision Date	Version	Released
1	V2.600.0000.0.R.20170601	Chen_chenyi	2017/7/12	V1.0	

## Table of Contents

1	Released version .....	4
2	Supported products : .....	4
3	Added Functions and Features.....	4
4	Corrections and improvements.....	5

# 1 Released version

## 1.1 Released firmware :

DH\_SD-Mao-Themis\_Eng\_P\_Stream3\_IVS\_V2.600.0000.0.R.20170601.zip  
 DH\_SD-Mao-Themis\_EngSpn\_N\_Stream3\_IVS\_V2.600.0000.0.R.20170601.zip  
 General\_SD-Mao-Themis\_Eng\_P\_Stream3\_IVS\_V2.600.0000.0.R.20170601.zip  
 General\_SD-Mao-Themis\_Eng\_N\_Stream3\_IVS\_V2.600.0000.0.R.20170601.zip

## 1.2 Version description:

Released Version:

Version Information	Software Version : V2.600.0000.0.R.20170601
	ONVIF Version : 2.42(V2.2.0.403029)
	WEB Version : 3.2.1.456631

# 2 Supported products :

Supported Series	Detail Models
230T-HN	DH-SD6C230T-HN, DH-SD60230T-HN, DH-SD59230T-HN, DH-SD50230T-HN, DH-SD52C230T-HN
220T-HN	DH-SD6C220T-HN, DH-SD60220T-HN, DH-SD59220T-HN, DH-SD50220T-HN, DH-SD52C220T-HN
120T-HN	DH-SD6C120T-HN, DH-SD60120T-HN, DH-SD59120T-HN, DH-SD50120T-HN, DH-SD52C120T-HN
212T-HN	DH-SD40212T-HN, DH-SD42212T-HN, DH-SD42C212T-HN
204T-GN	DH-SD29204T-GN, DH-SD29204T-GN-W, DH-SD22204T-GN, DH-SD22204T-GN-W,

# 3 Added Functions and Features

Functions	Description
Initialize Device & Reset Password (Closed temporarily, function will be opened when storage device supporting this function as well)	When using the device for the first time, users have to initialize the device with a strong password. If password is forgotten, users can reset the password by three alternatives: email, security questions

	and .xml files.
Optional RTSP Authentication Mode	Offer optional RTSP authentication modes for docking with old auxiliary product under BASIC mode.
Firmware Tamper-proofing	Unsigned firmware can't be upgraded.
ONVIF Users Management	Manage ONVIF password on web
Factory Default	If it is not convenient to reset by pressing button , users can completely recover device parameters to factory default on web.

#### 4 Corrections and improvements

Functions	Description
Modify focus limit of indoor camera to 10cm	
Modify default channel title	Unify channel title of all PTZ cameras as IP PTZ Camera