

Product Name	Confidential Level
Network PTZ Camera	
Release Version	Total 5 Pages
V2.600.0000000.1.R.170823	

PTZ Baseline

Release Notes

V1.0

33985 大华 2017-09-12



Revision Records

No	Change Description	Author	Revision Date	Version	Released
1	V2.600.0000000.1.R.170823	Chen_chenyi	2017/8/30	V1.0	

33985 大华 2017-09-12

Table of Contents

1	Released version	4
2	Supported products :	4
3	Added Functions and Features.....	5
4	Corrections and improvements.....	5

33985 大华 2017-09-12

1 Released version

1.1 Released firmware :

DH_SD-Yin-Demeter_Eng_P_Stream3_Intelligent_V2.600.0000000.1.R.170823.zip
 DH_SD-Yin-Demeter_EngSpnFrn_N_Stream3_Intelligent_V2.600.0000000.1.R.170823.zip
 General_SD-Yin-Demeter_Eng_P_Stream3_Intelligent_V2.600.0000000.1.R.170823.zip
 General_SD-Yin-Demeter_Eng_N_Stream3_Intelligent_V2.600.0000000.1.R.170823.zip

1.2 Version description:

Released Version:

Version Information	Software Version : V2.600.0000000.1.R.170823
	ONVIF Version : 16.12(V2.3.1.458331)
	WEB Version : 3.2.1. 486747

2 Supported products :

Supported Series	Detail Models
230F-HNI	DH-SD6AE230F-HNI, DH-SD6AL230F-HNI. DH-SD65F230F-HNI DH-SD6AL230F-HNI-IR
230F-IRB	DH-PTZ12230F-IRB-N-S2
230F-LR8	DH-PTZ12230F-LR8-N-S2
240-IRB	DH-PTZ12240-IRB-N-S2
240-LR8	DH-PTZ12240-LR8-N-S2

3 Added Functions and Features

Functions	Description
Initialize Device & Reset Password (Closed temporarily, function will be opened when storage device supporting this function as well)	When using the device for the first time, users have to initialize the device with a strong password. If password is forgotten, users can reset the password by three alternatives: email, security questions and .xml files.
Optional RTSP Authentication Mode	Offer optional RTSP authentication modes for docking with old auxiliary product under BASIC mode.
Firmware Tamper-proofing	Unsigned firmware can't be upgraded.
	Manage ONVIF password on web
Factory Default	If it is not convenient to reset by pressing button , users can completely recover device parameters to factory default on web.
Lifetime Statistics	
Data Structuring	Pass the captured information of people or vehicle to NVR or smartpss to save and display by alarm or image or smart frame
Online Upgrade	
Audio Noise Reduction Level Adjustable	If the Noise Filter enables, the NR Level can be adjusted
Speed of Tour Adjustable	

4 Corrections and improvements

Functions	Description
Unify channel title	Unify channel title of all PTZ cameras as IP PTZ Camera
Wiper and IR light controllable via ONVIF	
IP can be searched by configtool of Win10	